

Darest SHOP

NETGEAR ProSafe Plus - GS105Ev2



✓ Delivery time: 1-2 days

CHF **31.10**

CHF **28.77** excl.

NETGEAR ProSafe Plus GS105Ev2 - Switch - unmanaged - 5 x 10/100/1000 - desktop

Manufacturer [NETGEAR](#)
EAN 606449101522
Manufacturer# GS105E-200PES

Description

Bezeichnung: Switch Fiber-Ports: - RJ45 Ports: 5x 10/100/1000 Slots: - Stack: - Gehäuse: Desktop Lüfter: nein
Managed: Smart Netzteil: extern PoE Ports: 0 RJ45 Ports (10 GbE): 0 RJ45 Ports (10/100): 0 RJ45 Ports
(10/100/1000): 5

Specification

Product Description	NETGEAR Plus GS105Ev2 - switch - 5 ports - Managed
Device Type	Switch - 5 ports - Managed
Subtype	Gigabit Ethernet
Ports	5 x 10/100/1000
Performance	Bandwidth: 10 Gbps
Capacity	Virtual interfaces (VLANs): 64 Layer 2 multicast groups: 128

MAC Address Table Size	8K entries
Jumbo Frame Support	9KB
Features	Trunking, VLAN support, IGMP snooping, DoS attack prevention, port mirroring, WRR queuing, store and forward, Broadcast Storm Control, WRED, QoS, fanless, DHCP client, Energy Efficient Ethernet, SPQ, loop prevention
Compliant Standards	IEEE 802.3u, IEEE 802.3i, IEEE 802.1Q, IEEE 802.3ab, IEEE 802.1p, IEEE 802.3az
Dimensions (WxDxH)	9.4 cm x 10.1 cm x 2.6 cm
Weight	0.27 kg
Localisation	Europe
Manufacturer Warranty	NETGEAR lifetime warranty

Techn. Details

Device Type	Switch - 5 ports - Managed
Enclosure Type	Desktop
Subtype	Gigabit Ethernet
Ports	5 x 10/100/1000
Performance	Bandwidth: 10 Gbps
Capacity	Virtual interfaces (VLANs): 64 Layer 2 multicast groups: 128
MAC Address Table Size	8K entries
Jumbo Frame Support	9KB
Features	Trunking, VLAN support, IGMP snooping, DoS attack prevention, port mirroring, WRR queuing, store and forward, Broadcast Storm Control, WRED, QoS, fanless, DHCP client, Energy Efficient Ethernet, SPQ, loop prevention
Compliant Standards	IEEE 802.3u, IEEE 802.3i, IEEE 802.1Q, IEEE 802.3ab, IEEE 802.1p, IEEE 802.3az
Status	Port transmission speed, power, link/activity

Indicators	
Interfaces	5 x 1000Base-T RJ-45
Power Device	External power adapter
Compliant Standards	C-Tick, CISPR 22 Class B, UL 1950, EN50082-1, EN55022 Class B, FCC Part 15 B, EN55024 Class B, CCC Class B, VCCI Class B
Localisation	Europe
Width	9.4 cm
Depth	10.1 cm
Height	2.6 cm
Weight	0.27 kg
Service & Support	Limited warranty - lifetime † Limited warranty - power supply - 2 years
Min Operating Temperature	0 °C
Max Operating Temperature	50 °C
Min Storage Temperature	-20 °C
Max Storage Temperature	70 °C

Related Prod.

Cat 6a Cables (7)

	Wirewin Slim Light - Patch cable - RJ-45 (M) to RJ-45 (M) - 2 m - U/FTP - CAT 6a - molded, round - white	CHF 10.85 CHF 10.04 excl.
	Wirewin Slim - Patch cable - RJ-45 (M) to RJ-45 (M) - 1.5 m - U/FTP - CAT 6a - molded, flat - grey	CHF 9.55 CHF 8.83 excl.
	Wirewin Slim - Patch cable - RJ-45 (M) to RJ-45 (M) - 25 cm - U/FTP - CAT 6a - molded, flat - red	CHF 6.35 CHF 5.87 excl.

Cat 6 Cables (7)

	Wirewin Slim - Patch cable - RJ-45 (M) to RJ-45 (M) - 1 m - STP - CAT 6 - booted, flat - violet	CHF 8.45 CHF 7.82 excl.
	Wirewin Slim - Patch cable - RJ-45 (M) to RJ-45 (M) - 5	CHF 13.30



m - STP - CAT 6 - molded, snagless, flat - blue



CHF **12.30**
excl.



Wirewin Slim - Patch cable - RJ-45 (M) to RJ-45 (M) - 10
m - STP - CAT 6 - booted, flat - black



CHF **21.05**
CHF **19.47**
excl.

Twisted Pair Cables (5)



Lindy - Patch cable - RJ-45 (M) to RJ-45 (M) - 5 m -
SFTP, PiMF - CAT 6e - molded, snagless, stranded -
grey



CHF **7.00**
CHF **6.48** excl.



Lindy - Patch cable - RJ-45 (M) to RJ-45 (M) - 1 m -
SFTP, PiMF - CAT 6e - snagless - green



CHF **5.40**
CHF **5.00** excl.



Lindy - Patch cable - RJ-45 (M) to RJ-45 (M) - 1 m -
SFTP, PiMF - CAT 6e - snagless - black



CHF **5.40**
CHF **5.00** excl.