

Darest SHOP

Cisco IP Phone 7821 3rd Party



✓ Delivery time: 1-2 days

CHF **173.60**

CHF **160.59** excl.

Cisco IP Phone 7821 3rd Party Call Control without Power Supply

Manufacturer [Cisco](#)
EAN 0882658829796
Manufacturer# CP-7821-3PCC-K9=

Description

Supporting two lines, 3.5" 396 × 162, 2 x 10/100BASE-T, PoE, Black/Silver, Third-Party Call Control

Specification

Product Description	Cisco IP Phone 7821 - VoIP phone
Product Type	VoIP phone
Main Features	Multiple VoIP protocol support, integrated Ethernet switch
VoIP Protocols	SIP, SRTP
Voice Codecs	G.722, G.729ab, G.711u, G.711a, iLBC
Lines Supported	2 lines
Speakerphone	Yes (digital duplex)

Call Services	Voice Mail, Caller ID, Call Waiting, Call Forwarding, Call Transfer, Call Hold, Message Waiting Capability
Display	LCD display - monochrome - Yes
Network Ports Qty	2 x Ethernet 10Base-T/100Base-TX

Techn. Details

Product Type	VoIP phone
Body Material	PC/ABS
Call Services	Voice Mail, Caller ID, Call Waiting, Call Forwarding, Call Transfer, Call Hold, Message Waiting Capability
Dialer Type	Keypad
Dialer Location	Base
Conference Call Capability	Yes
Speakerphone	Yes (digital duplex)
Menu Operation	Yes
Programmable Buttons Qty	2
Indicators	Voice message waiting indicator, speakerphone indicator, headset
Firmware Upgradable	Yes
Additional Functions	Call timer
Additional Features	Music on hold
Main Features	Multiple VoIP protocol support, integrated Ethernet switch
VoIP	Yes
VoIP Protocols	SIP, SRTP
Voice Codecs	G.722, G.729ab, G.711u, G.711a, iLBC
Lines Supported	2 lines
Quality of	IEEE 802.1Q (VLAN), IEEE 802.1p

Service	
IP Address Assignment	DHCP, static
Security	IEEE 802.1X
Power Over Ethernet (PoE) Support	Yes
Network Protocols	Cisco Discovery Protocol (CDP), SRTP
Network Ports Qty	2 x Ethernet 10Base-T/100Base-TX
Network Features	Lightweight Directory Access Protocol (LDAP)
Type	LCD display - monochrome
Display Location	Base
Diagonal Size	3.5"
Display Resolution	396 x 162 pixels
Backlit	Yes
Display Languages	Danish, Hebrew, Hungarian, Czech, Croatian, Slovenian, Thai, Slovak, Brazilian Portuguese, English, German, French, Italian, Norwegian, Portuguese, Polish, Finnish, Swedish, Russian, Spanish, Dutch, Greek, Turkish, Arabic, Bulgarian, Latvian, Lithuanian, Estonian, Serbian, Romanian, Catalan, Japanese, Chinese, Korean
Connections	Headset jack
Placing / Mounting	Wall-mountable, table-top
Compliant Standards	CISPR 22 Class B, CISPR 24, EN 61000-3-2, EN 61000-3-3, EN55024, EN55022 Class B, ICES-003 Class B, AS/ACIF S004, FCC Part 68, EMC, CS-03, UL 60950-1 Second Edition, EN 60601-1-2, FCC CFR47 Part 15 B, GB 4943, AS/NZS 60950, CSA C22.2 No. 60950-1 Second Edition, EN 60950-1 Second Edition, IEC 60950-1 Second Edition, VCCI Class B
Width	20.6 cm
Depth	2.8 cm
Height	20.7 cm
Weight	867 g

Related Prod.

Headphones (6)



Cisco 531 Wired Single - Headset - on-ear - wired - for IP Phone 68XX, 78XX, 88XX; Unified IP Phone 79XX



CHF **194.30**

CHF **179.74**
excl.



Cisco 532 Wired Dual - Headset - on-ear - wired - for IP Phone 6841, 6851, 7821, 7841, 7861, 8811, 8841, 8845, 8851, 8861, 8865, 8865NR



CHF **161.65**

CHF **149.54**
excl.



561 WIRELESS SINGLE HEADSET MULTI BASE STATION EU IN



CHF **341.40**

CHF **315.82**
excl.

Power Adapters & Chargers



Cisco - Power adapter



CHF **68.50**

CHF **63.37**
excl.

Telephone Accessories



Cisco - Wall mount - for IP Phone 7821, 7841, 7861



CHF **58.30**

CHF **53.93**
excl.

Date added: 2016-07-26 08:16:33 / SID: 1217422 / DID: CP-7821-3PCC-K9=