

# Darest SHOP

## Cisco Unified IP Phone - 6901 Standard



✓ Delivery time: 3-4 days

CHF **112.50**

CHF **104.07** excl.

Cisco Unified IP Phone 6901 Standard - VoIP phone - SCCP - arctic white

Manufacturer	Cisco
EAN	882658289231
Manufacturer#	CP-6901-W-K9=

## Description

The Cisco Unified IP Phone 6901 is a single-line endpoint delivering cost-effective access to Cisco unified communications. Designed with a trim line-like low profile, the Cisco Unified IP Phone 6901 is an ideal solution for lobbies, hallways, elevators, hotel bathrooms, or other settings that have an occasional need for voice communications services. The Cisco Unified IP Phone 6901 supports two incoming calls with call-waiting service. Fixed feature keys provide one-touch access to hold, redial, and call waiting. Transfer and conference can be supported by using the hook switch similar to that of traditional analog phones. The Cisco Unified IP Phone 6901 is an earth-friendly solution. As with the other Cisco Unified IP Phone 6900 Series endpoints, the Cisco Unified IP Phone 6901 takes advantage of reground and recyclable plastics for a more earth responsible solution.

## Specification

Product Description	Cisco Unified IP Phone 6901 Standard - VoIP phone
Product Type	VoIP phone
VoIP Protocols	SCCP
Voice Codecs	G.729a, G.729ab, G.711u, G.711a

Speakerphone	Yes (digital duplex)
Voice Mail Capability	Yes
Call Services	Voice Mail, Call Waiting, Call Forwarding, Call Transfer, Call Hold
Network Ports Qty	1 x Ethernet 10/100Base-TX
Body Colour	Arctic white
Manufacturer Warranty	1-year warranty

## Techn. Details

Product Type	VoIP phone
Body Colour	Arctic white
Body Material	ABS plastic
Call Services	Voice Mail, Call Waiting, Call Forwarding, Call Transfer, Call Hold
Dialer Type	Keypad
Dialer Location	Base
Conference Call Capability	Yes
Speakerphone	Yes (digital duplex)
Function Buttons	Hold button, auto redial button
Volume Control	Yes
Ringer Control	Yes
Indicators	Voice message waiting indicator
Additional Features	Music on hold, built-in web server
VoIP	Yes
VoIP Protocols	SCCP
Voice Codecs	G.729a, G.729ab, G.711u, G.711a
IP Address Assignment	DHCP, static
Power Over Ethernet	Yes

## (PoE) Support

Network Protocols	Cisco Discovery Protocol (CDP)
Network Ports Qty	1 x Ethernet 10/100Base-TX
Voice Features	Comfort noise generation (CNG), voice activity detection (VAD)
RAM	32 MB
Hearing Aid Compatible	Yes
Placing / Mounting	Wall-mountable, table-top
Also Included	8 MB
Compliant Standards	VCCI Class B ITE, CISPR 22 Class B, CISPR 24, EN 60950, EN 61000-3-2, IEC 60950, EN 61000-3-3, EN55024, UL 60950, EN50082-1, EN55022 Class B, ICES-003 Class B, EN 61000-6-1, ACA TS001, AS/NZS 60950-1, CSA C22.2 No. 60950-00, FCC CFR47 Part 68, FCC CFR47 Part 15 B
Width	9.4 cm
Depth	4.6 cm
Height	20.5 cm
Weight	695 g
Service & Support	Limited warranty - 1 year

## Related Prod.

### Power Adapters & Chargers



[Cisco - Power adapter](#)



CHF **68.60**

CHF **63.46**  
excl.