

Darest SHOP

ASUS DRW - 24D5MT



✓ Delivery time: 1-2 days

CHF **26.40**

CHF **24.42** excl.

ASUS DRW-24D5MT - Disk drive - DVD±RW (±R DL) / DVD-RAM - 24x24x5x - Serial ATA - internal - 5.25" - black

Manufacturer	Asus
EAN	4712900093919
Manufacturer#	90DD01Y0-B20010

Description

Specification

Lese-/Schreibgeschwindigkeit

CD-R	48 ×
CD-ROM	48 ×
DVD-RAM	5 ×
DVD-ROM	16 ×
DVD-RW	8 ×
CD-RW	40 ×
DVD+R	16 ×

DVD+RW	13 ×
DVD-R	16 ×
Dimensionen	
Abmessungen	146 mm (B) x 41 mm (H) x 170 mm (T)
Tiefe	170 mm
Gewicht	0.65 kg
Laufwerk Formfaktor	5,25"
Breite	146 mm
Höhe	41 mm
Weitere Informationen	
Verpackungsart	Retail
Farbe	Schwarz

Product Description	ASUS DRW-24D5MT - DVD±RW (±R DL) / DVD-RAM drive - Serial ATA - internal
Device Type	DVD±RW (±R DL) / DVD-RAM drive - internal
Colour	Black
Interface	Serial ATA
Dimensions (WxDxH)	14.6 cm x 17 cm x 4.1 cm
Weight	650 g
Optical Storage	DVD±RW (±R DL) / DVD-RAM - 5.25" x 1/2H
Read Speed	48x (CD) / 16x (DVD)
Write Speed	48x (CD) / 24x (DVD±R) / 8x (DVD±R DL)
CD / DVD Rewrite Speed	24x (CD) / 6x (DVD-RW) / 8x (DVD+RW) / 5x (DVD-RAM)
Media Load Type	Tray

Techn. Details

Device Type	DVD±RW (±R DL) / DVD-RAM drive - internal
Colour	Black
Interface	Serial ATA
Width	14.6 cm

Depth	17 cm
Height	4.1 cm
Weight	650 g
Type	DVD±RW (±R DL) / DVD-RAM - 5.25" x 1/2H
Read Speed	48x (CD) / 16x (DVD)
Write Speed	48x (CD) / 24x (DVD±R) / 8x (DVD±R DL)
CD / DVD Rewrite Speed	24x (CD) / 6x (DVD-RW) / 8x (DVD+RW) / 5x (DVD-RAM)
Supported Recording Modes	Multisession, disc-at-once, track-at-once, packet writing, session-at-once, restricted overwrite, random access write, incremental recording, sequential write
Supported Media Formats	CD Text, CD Extra, CD-DA (audio), CD-I, CD-ROM XA, Photo CD, Video CD, CD-ROM, DVD-Video
Supported Media Types	CD-ROM, CD-R, CD-RW, DVD-ROM, DVD-R, DVD-RAM, DVD-RW, DVD+RW, DVD+R, DVD+R DL, DVD-R DL, DVD-ROM DL
Media Load Type	Tray
Access Time	145 ms (DVD), 125 ms (CD)
Features	Horizontal/vertical mountable, E-Green Engine technology, M-DISC support, Disc Encryption II
Compliant Standards	Video CD
Interfaces	1 x SATA 1.5Gb/s - 7 pin Serial ATA
Compatible Bay	5.25" x 1/2H - front accessible
Package Type	Retail
Software Included	CyberLink PowerBackup, E-Green, CyberLink Power2Go 8
OS Required	Microsoft Windows XP, Microsoft Windows 7, Microsoft Windows Vista, Windows 8, Windows 10
System Requirements Details	Pentium - 300 MHz - RAM: 128 MB - HDD: 10 GB
Min Operating Temperature	5 °C
Max Operating Temperature	45 °C

Humidity Range 20 - 80% (non-condensing)
Operating

Date added: 2020-04-23 08:13:03 / SID: 1890332 / DID: 475926